

## SPECIFICATION

Range: **DIESIS**  
Design: **Atelier Mendini**

“Snowsound Fiber Technology” sound-absorbing element fixed to the wall or free-standing

Fabric description:

Sound absorbing “Snowsound Fiber 6 Velvet” fabric made entirely of polyester, with circular eyelets edged in polyester yarn at the top for the passage of metal hooks for attachment to the structure. On the inner part are sewn loops for the passage of a cable with cord clip for adjusting and maintaining the shape of the fabric.

The fabric has a **Class1** fire reaction (Italian standard) and **Euroclass B-s1, d0**.

The fabric is **Greenguard Gold certified**, which certifies its low VOC emission and its contribution to the quality of the indoor environment.

The fabric is **100% recyclable** and has no detectable formaldehyde content according to UNI EN 717-2. It doesn't contain felt or other organic materials (hard to recycle).

Fabric size: 5,6 m<sup>2</sup>

Suspended ceiling structure description:



Upper frame composed of perforated sheet (3 mm thick) and a shaped steel structure supporting the fabric. The fabric attaches to the structure by means of special steel hooks. In the central part of the shaped sheet a special chromed steel tube fitted with a pin to which it is fixed by means of special screws. Here the following structures are attached: a cylindrical threaded element  $\varnothing$  10 mm which allows the precise height adjustment of the cable by means of a pressure system with security lock; a steel cable  $\varnothing$  1.5 mm and a conical plate in chromed steel  $\varnothing$  45 mm with a rotating joint cable equipped with two holes for anchoring screws to the ceiling.

Self-supporting structure description:

Supporting structure composed of a shaped base made of sheet steel (thickness 6 mm) with central hole that allows the passage of the M8x30 screw for the vertical tube fixing; steel tube  $\varnothing$  25 mm, height 180 cm; upper frame formed by a part in shaped and perforated sheet (3 mm thick) and by a shaped steel structure to support the fabric. The fabric attaches to the structure by means of special steel hooks. Base, tube and frame are epoxy powder coated and join by means of special screws.



Dimensions:



Available colors:

600



603



605



610



Caimi Brevetti S.p.A. reserves, by its unappealable judgment, the right to modify without prior notice the building materials, the technical and aesthetic specifications, as well as the dimensions of the products in this technical sheet, where pictures are purely as an indication.

Deze informatie is afkomstig van de website van Zero-Z design / Akoestiekexpert.nl.

Voor vragen, toelichting en meer informatie kunt u contact opnemen met:

**Zero-Z design**

|                  |                   |
|------------------|-------------------|
| Jasmijnstraat 6a | Modem 20b         |
| 3732 EC De Bilt  | 7741 MJ Coevorden |

**T** +31 (0)30 2201297

**F** +31 (0)30 2210692

**E** [info@zero-z-design.nl](mailto:info@zero-z-design.nl)

**W** [www.zero-z-design.nl](http://www.zero-z-design.nl)

[www.akoestiekexpert.nl](http://www.akoestiekexpert.nl)

